

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** BLACK MUSK 316 (Contains:3,7-DIMETHYLOCTA-1,6-DIEN-3-YL ACETATE, LIXETONE, hexyl cinnamic aldehyde, linalool)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Carvansons Ltd

**Company address:** Knowsley Park Way, Haslingden, Rossendale BB4 4RS

**Contact:** Oliwia Serwilska

**E-Mail address:** export@carvansons.co.uk

**Company phone:** +44 161 766 3768

#### 1.4 Emergency telephone number

**Emergency phone:** +44 161 766 3768

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H317, May cause an allergic skin reaction.  
H411, Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### **Classification under Regulation (EC) No 1272/2008**

**Signal word:** Warning

**Hazard statements:** H317, May cause an allergic skin reaction.  
H411, Toxic to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains ALPHA-PINENE, Cineols, D'LIMONENE, ISO LONGIFOLANONE (ISOLONGIFOLENE KETONE,PICONIA), PINENES, [3R-(3ALPHA,3ABETA,6ALPHA,7BETA,8AALPHA)]-OCTAHYDRO-6-METHOXY-3,6,8,8-TETRAMETHYL-1H-3A,7-METHANOAZULENE, alpha iso methyl ionone, amyl cinnamic aldehyde, benzyl salicylate, citronellol, estragole, eugenol, geraniol. May produce an allergic reaction.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

**Precautionary statements:**

P261, Avoid breathing vapour or dust.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P273, Avoid release to the environment.  
P280, Wear protective gloves/eye protection/face protection.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P363, Wash contaminated clothing before reuse.  
P391, Collect spillage.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:**

Sensitisers declared on a CLP Hazard Label: ALPHA-PINENE, Cineols, D'LIMONENE, ISO LONGIFOLANONE (ISOLONGIFOLENE KETONE, PICONIA), PINENES, [3R-(3ALPHA,3ABETA,6ALPHA,7BETA,8AALPHA)]-OCTAHYDRO-6-METHOXY-3,6,8,8-TETRAMETHYL-1H-3A,7-METHANOAZULENE, alpha iso methyl ionone, amyl cinnamic aldehyde, benzyl salicylate, citronellol, estragole, eugenol, geraniol

Hydrocarbon Concentration %: 2.4515%

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
hexyl cinnamic aldehyde	101-86-0	202-983-3	01-2119533092-50-XXXX	4.20%	SS 1B-EH A1-EH C2; H317-H400-H411,-	M = 1-oral: ATE = 3100 mg/kg bw
LIXETONE	32388-55-9	251-020-3	01-2119969651-28-XXXX	2.40%	SS 1B-EH A1-EH C1; H317-H410,-	M = 1-oral: ATE = 4500 mg/kg bw
POGOSTEMON CABLIN	8014-09-3	282-493-4	01-2119967775-18	2.40%	AH 1-EH C2;H304-H411,-	
linalool	78-70-6	201-134-4	exempt from REACH registration as <1T	1.61%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
3,7-DIMETHYLOCTA-1,6-DIEN-3-YL ACETATE	115-95-7	204-116-4	01-2119454789-19	1.50%	SCI 2-SS 1B;H315-H317-H319,-	

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

amyl cinnamic aldehyde	122-40-7	204-541-5	01-2119978288-18	1.10%	SS 1B-EH C2;H317-H411,-	oral: ATE = 3730 mg/kg bw
2-PHENYLETHANOL	60-12-8	200-456-2	01-2119963921-31-XXXX	1.10%	ATO 4-EDI 2;H302-H313-H316-H319,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw
D'LIMONENE	5989-27-5	227-813-5	exempt from REACH registration as <1T	1.01%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317-H410,-	M = 1
(3-(5,5,6-TRIMETHYLBICYCLO [2.2.1]HEPT-2-YL) CYCLOHEXAN-1-OL)	3407-42-9	222-294-1	01-2119979583-21-0000.	1.00%	SCI 2-EDI 2-EH C3; H315-H319-H411-H412,-	
ISO LONGIFOLANONE (ISOLONGIFOLENE KETONE,PICONIA)	23787-90-8	245-890-3	exempt from REACH registration, according to information received from our supplier	1.00%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	oral: ATE = 2500 mg/kg bw
eugenol	97-53-0	202-589-1	01-2119971802-33	0.81%	EDI 2-SS 1B;H317-H319,-	oral: ATE = 2500 mg/kg bw
benzyl salicylate	118-58-1	204-262-9	01-2119969442-31-XXXX	0.70%	SS 1B-EH C3;H317-H412,-	oral: ATE = 2200 mg/kg bw
estragole	140-67-0	205-427-8	exempt from REACH registration as <1T	0.51%	ATO 4-SCI 2-SS 1B-MUT 2-CAR 2-EH C3; H302-H315-H317-H341-H351-H412,-	oral: ATE = 1230 mg/kg bw
alpha iso methyl ionone	127-51-5	204-846-3	01-2119471851-35	0.40%	SS 1B-EH C2;H317-H411,-	
ALPHA-PINENE	80-56-8	201-291-9	exempt from REACH registration as <1T	0.40%	FL 3-ATO 4-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H302-H304-H315-H317-H410,-	M = 1-oral: ATE = 500 mg/kg bw
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g)-2-benzopyran	1222-05-5	214-946-9	EXEMPT <1T	0.35%	EH A1-EH C1;H410,-	
PINENES	80-56-8	201-291-9	exempt from REACH registration as <1T	0.33%	FL 3-ATO 4-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H302-H304-H315-H317-H410,-	M = 1-oral: ATE = 500 mg/kg bw
geraniol	106-24-1	203-377-1	01-2119560621-44-XXXX	0.31%	SCI 2-EDI 1-SS 1B; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
Cineols	470-82-6	207-431-5	exempt from REACH registration as <1T	0.22%	FL 3-SS 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
BENZYL BENZOATE	120-51-4	204-402-9	01-2119949300-45-XXXX	0.20%	ATO 4-EH A1-EH C2; H302-H400-H411,-	dermal: ATE = 4000 mg/kg bw-oral: ATE = 1500 mg/kg bw
citronellol	106-22-9	203-375-0	01-2119453995-23-XXXX	0.10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
camphor	76-22-2	200-945-0	01-2119966156-31	0.10%	FS 2-ATO 4-ATI 4-SCI 2-EDI 1-STO-SE 2-EH C2;H228-H302-H315-H318-H332-H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)-oral: ATE = 1500 mg/kg bw
[3R-(3ALPHA,3ABETA, 6ALPHA,7BETA, 8AALPHA)]-OCTAHYDRO-6-METHOXY-3,6,8,8-TETRAMETHYL-1H-3A, 7-METHANOAZULENE	19870-74-7, 67874-81-1	243-384-7, 267-510-5	01-2120228335-61-XXXX	0.10%	SS 1B-EH A1-EH C1; H317-H410,-	M = 1
PARA CYMENE	99-87-6	202-796-7	01-2120807345-59-XXXX	0.10%	FL 3-REP 2-AH 1-EH C2;H226-H304-H361-H411,-	oral: ATE = 4750 mg/kg bw

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

alpha-Cedrene	469-61-4	207-418-4	EXEMPT < 1T	0.02%	AH 1-EH A1-EH C1; H304-H410,-	M = 10
---------------	----------	-----------	-------------	-------	----------------------------------	--------

### Substances with Community workplace exposure limits:

Not Applicable

### Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.  
**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.  
**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.  
**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

### Section 6. Accidental release measures

#### **6.1 Personal precautions, protective equipment and emergency procedures:**

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### **6.2 Environmental precautions:**

Keep away from drains, surface and ground water, and soil.

#### **6.3 Methods and material for containment and cleaning up:**

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### **6.4 Reference to other sections:**

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### **7.1 Precautions for safe handling:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

#### **7.2 Conditions for safe storage, including any incompatibilities:**

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### **7.3 Specific end use(s):**

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### **8.1 Control parameters**

Workplace exposure limits: Not Applicable

#### **8.2 Exposure Controls**

##### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

##### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical State/Colour:</b>	DARK BROWN
<b>Odour:</b>	CHARACTERISTIC
<b>Odour threshold:</b>	Not determined
<b>Melting point/freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range:</b>	Not determined
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	> 80 °C
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not relevant
<b>pH:</b>	Not determined
<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol/water (log value):</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density:</b>	0.9602 - 1.0602
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

**10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.

**Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-PHENYLETHANOL	60-12-8	200-456-2	1610	2500	Not available	Not available

Refer to Sections 2 and 3 for additional information.

**11.2 Information on other hazards**

Not Applicable

### Section 12. Ecological information

**12.1 Toxicity:**

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

**12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
<b>UN Model Regulations</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIXETONE, D'LIMONENE)	9	-	III
<b>IMDG</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIXETONE, D'LIMONENE) MARINE POLLUTANT	9	-	III
<b>ADR,RID,ADN</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIXETONE, D'LIMONENE)	9	-	III
<b>ICAO TI</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIXETONE, D'LIMONENE)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Maritime transport in bulk according to IMO instruments:**

Not applicable

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** SS 1=23.81% EH C2=44.16% EH C3=4.41%

**Total Fractional Values:** SS 1=4.20 EH C2=2.26 EH C3=22.68



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

**Key to revisions:**

SECTION 3: Composition/information on ingredients

**Key to abbreviations:**

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
CAR 2	Carcinogenicity Category 2
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
FS 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects (exposure route).
H351	Suspected of causing cancer (exposure route).
H361	Suspected of damaging fertility or the unborn child (exposure route).
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
MUT 2	Germ Cell Mutagenicity Category 2
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** BLACK MUSK 316

**Version:** 35

P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SENSFREE	SENSITISER
SS 1B	Sensitization - Skin Category 1B
STO-SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.